

Forensic profiling data tables

The Australian Federal Police (AFP) Forensic Drug Intelligence team operates a forensic drug profiling capability through the National Measurement Institute, which enables the identification of the regions of origin and manufacturing trends for samples of heroin and cocaine, and the identification of the synthetic route of synthesis for samples of methylamphetamine and MDMA submitted from seizures made at the Australian border.¹ The Enhances National Intelligence Picture on Illicit Drugs (ENIPID) project extends this profiling to include state and territory seizures.

ATS

Synthetic route of manufacture of methylamphetamine samples as a proportion of analysed AFP border seizures classified by precursor, 2010–June 2017

Year	Synthetic Route		
	Eph/PSE %	P2P %	Mixed/Unclassified %
Jan–Jun 2017	53.3	33.4	13.3
2016	81.9	7.0	11.1
2015	77.0	18.6	4.4
2014	77.9	13.8	8.3
2013	66.9	23.2	9.9
2012	71.8	19.1	9.1
2011	56.8	13.6	29.6
2010	80.4	5.9	13.7

Synthetic route of manufacture of methylamphetamine samples as a proportion of total bulk weight of analysed AFP border seizures classified by precursor, 2010–June 2017

Year	Synthetic Route		
	Eph/PSE %	P2P %	Mixed/Unclassified %
Jan–Jun 2017	13.5	1.4	85.1
2016	63.4	1.7	34.9
2015	65.7	29.4	4.9
2014	48.0	5.5	46.5
2013	76.4	14.7	8.9
2012	72.2	27.8	–
2011	35.6	62.8	1.6
2010	48.5	1.8	49.7

¹ This data may also include seizures destined for Australia which occurred offshore.

Synthetic route of manufacture of methylamphetamine ENIPID samples as a proportion of analysed jurisdictional samples, classified by precursor, 2011–June 2017

Year	Jurisdiction	Eph/PSE %	Synthetic Route		Total %
			P2P %	Mixed/ Unclassified %	
Jan–Jun 2017	ACT	–	–	–	–
	NSW	64.8	9.3	13.0	87.1
	NT	–	–	–	–
	QLD	–	–	–	–
	SA	7.4	–	–	7.4
	VIC	1.9	–	1.8	3.7
	WA	1.8	–	–	1.8
Total		75.9	9.3	14.8	100
2016	ACT	2.8	–	0.1	2.9
	NSW	25.2	1.7	3.5	30.4
	NT	7.4	0.2	0.4	8.0
	QLD	–	–	–	–
	SA	10.4	0.8	3.2	14.4
	TAS	0.2	–	–	0.2
	VIC	11.8	0.9	1.1	13.8
	WA	28.2	1.1	1.0	30.3
Total		86.0	4.7	9.3	100
2015	ACT	1.1	–	–	1.1
	NSW	30.5	2.3	2.0	34.8
	NT	5.1	0.5	–	5.6
	QLD	–	–	–	–
	SA	6.8	0.6	1.0	8.4
	TAS	0.1	–	–	0.1
	VIC	10.2	0.1	0.4	10.7
	WA	34.9	1.9	2.5	39.3
Total		88.7	5.4	5.9	100
2014	NSW	31.4	3.9	3.1	38.4
	NT	3.7	0.9	0.4	5.0
	QLD	–	–	0.1	0.1
	SA	2.4	1.6	1.2	5.2
	TAS	0.8	–	0.5	1.3
	VIC	1.2	–	0.3	1.5
	WA	38.9	4.8	4.8	48.5
Total		78.4	11.2	10.4	100
2013	NSW	28.4	4.5	0.9	33.8
	NT	3.3	0.2	0.9	4.5
	TAS	2.4	0.2	–	2.6
	VIC	–	0.2	–	0.2
	WA	40.7	10.9	7.3	58.9
Total		74.7	16.1	9.2	100

2012	ACT	4.7	–	–	4.7
	NSW	38.2	0.6	6.2	45.0
	NT	7.9	–	0.3	8.2
	TAS	0.6	–	–	0.6
	WA	34.4	4.4	2.7	41.5
Total		85.8	5.0	9.2	100
2011	NSW	13.7	0.9	2.4	17.0
	NT	5.7	0.5	–	6.2
	TAS	2.4	–	–	2.4
	WA	46.0	1.9	26.5	74.4
Total		67.8	3.3	28.9	100

Note: Due to a lack of available data, some samples were classified based on the sample collection date in place of the sample seizure date.

Synthetic route of manufacture of methylamphetamine ENIPID samples as a proportion of analysed jurisdictional cases, classified by precursor, 2011–June 2017

Year	Jurisdiction	Synthetic Route			Total %
		Eph/PSE %	P2P %	Mixed/ Unclassified %	
Jan–Jun 2017	ACT	–	–	–	–
	NSW	54.8	9.7	16.1	80.6
	NT	–	–	–	–
	QLD	–	–	–	–
	SA	9.8	–	–	9.8
	VIC	3.2	–	3.2	6.4
	WA	3.2	–	–	3.2
Total		71.0	9.7	19.3	100
2016	ACT	2.7	–	0.1	2.8
	NSW	25.6	2.1	3.8	31.5
	NT	4.9	–	–	4.9
	QLD	–	–	–	–
	SA	13.5	0.8	3.3	17.6
	TAS	0.3	–	–	0.3
	VIC	12.8	0.8	1.1	14.7
	WA	26.4	0.8	1.0	28.2
Total		86.2	4.5	9.3	100
2015	ACT	1.8	–	–	1.8
	NSW	31.2	2.2	3.4	36.8
	NT	4.8	0.4	–	5.2
	QLD	–	–	–	–
	SA	8.9	0.7	1.1	10.7
	VIC	11.3	–	0.6	11.9
	WA	29.1	0.7	3.8	33.6
Total		87.1	4.0	8.9	100
2014	NSW	31.0	3.6	4.6	39.2
	NT	4.6	0.6	0.8	6.0
	QLD	–	–	0.2	0.2
	SA	2.3	1.9	1.7	5.9
	TAS	1.3	–	0.6	1.9
	VIC	1.9	–	0.4	2.3
	WA	35.9	4.4	4.2	44.5
Total		77.0	10.5	12.5	100

2013	NSW	33.9	4.6	1.7	40.2
	NT	4.6	0.4	1.7	6.7
	TAS	2.9	–	0.4	3.3
	VIC	–	0.4	–	0.4
	WA	33.5	6.7	9.2	49.4
Total		74.9	12.1	13.0	100
2012	ACT	3.5	–	–	3.5
	NSW	41.3	0.5	5.5	47.3
	NT	11.4	–	0.5	11.9
	TAS	1.0	–	–	1.0
	WA	26.8	5.0	4.5	36.3
Total		84.0	5.5	10.5	100
2011	NSW	13.5	1.8	4.5	19.8
	NT	8.1	1.0	–	9.1
	TAS	4.5	–	–	4.5
	WA	32.4	2.7	31.5	66.6
Total		58.5	5.5	36.0	100

Note: Due to a lack of available data, some samples were classified based on the sample collection date in place of the sample seizure date.

Synthetic route of manufacture of MDMA samples as a proportion of analysed AFP border seizures, 2010–2016

Year	Unclassified %	Borohydride %	Reductive Amination			Mixed/ Unclassified %
			Platinum Hydrogenation %	Palladium Hydrogenation %	Aluminium Amalgam %	
2016	44.9	8.6	37.9	–	–	8.6
2015	–	2.1	83.0	–	–	14.9
2014	2.3	9.3	79.1	2.3	–	7.0
2013	7.8	14.1	71.9	–	–	6.2
2012	14.0	8.0	70.0	–	–	8.0
2011	–	58.3	16.7	–	8.3	16.6
2010	–	66.7	22.2	–	–	11.1

Note: From November 2016, MDMA is no longer routinely chemically profiled due to changes in the Memorandum of Understanding (MoU) for the provision of illicit drug analysis between the NMI and AFP.

Synthetic route of manufacture of MDMA samples as a proportion of total bulk weight of analysed AFP border seizures, 2010–2016

Year	Reductive Amination						Mixed/ Unclassified %
	Unclassified %	Borohydride %	Platinum Hydrogenation %	Palladium Hydrogenation %	Aluminium Amalgam %		
2016	0.7	<0.1	98.3	–	–	–	1.0
2015	–	0.01	64.9	–	–	–	35.1
2014	<0.1	1.3	98.0	<0.1	–	–	<0.1
2013	94.7	3.3	1.7	–	–	–	0.3
2012	0.9	96.7	2.4	–	–	–	–
2011	–	70.6	26.6	–	–	2.0	0.8
2010	–	99.9	0.1	–	–	–	<0.1

Note: From November 2016, MDMA is no longer routinely chemically profiled due to changes in the Memorandum of Understanding (MoU) for the provision of illicit drug analysis between the NMI and AFP.

Synthetic route of manufacture of MDMA ENIPID samples as a proportion of analysed jurisdictional samples, 2011–2016

Year	Jurisdiction	Reductive Amination							Mixed/ Unclass %	Total %
		Unclassified %	Aluminium Amalgam %	Borohydride %	Leuckart %	Palladium Hydrogenation %	Platinum Hydrogenation %			
2016	ACT	1.4	–	–	–	–	–	1.0	–	2.4
	NSW	13.5	1.3	1.3	1.0	–	–	10.8	–	27.9
	NT	5.7	–	0.7	0.3	–	–	8.4	–	15.1
	QLD	–	–	–	–	–	–	–	–	–
	SA	2.4	0.3	3.7	–	–	–	0.7	–	7.1
	TAS	1.7	–	–	–	–	–	–	–	1.7
	VIC	5.4	0.7	3.0	–	–	–	4.4	1.3	14.8
	WA	23.2	–	7.1	–	–	–	0.7	–	31.0
	Total	53.5	2.3	15.8	1.3	–	–	26.0	1.3	100
2015	ACT	–	–	–	–	–	–	1.8	–	1.8
	NSW	4.0	4.0	1.8	–	–	–	24.3	0.7	34.8
	NT	0.4	0.7	–	–	–	–	4.0	–	5.1
	QLD	–	–	–	–	–	–	–	–	–
	SA	1.1	0.7	0.7	–	–	–	5.5	–	8.0
	TAS	–	–	–	–	–	–	–	–	–
	VIC	6.9	1.1	0.7	–	1.8	–	14.1	–	24.6
	WA	1.8	2.5	0.7	–	–	–	19.6	1.1	25.7
Total	14.2	9.0	3.9	–	1.8	–	69.3	1.8	100	

2014	ACT	–	0.9	–	–	–	–	–	0.9
	NSW	1.8	5.0	2.3	–	–	13.2	1.4	23.7
	NT	–	–	–	–	–	3.6	–	3.6
	QLD	–	–	–	–	–	3.6	–	3.6
	SA	2.3	–	–	–	–	11.3	–	13.6
	TAS	–	–	–	–	–	0.9	–	0.9
	VIC	0.9	–	2.7	–	–	6.8	0.5	10.9
	WA	–	–	0.5	–	–	42.3	–	42.8
	Total	5.0	5.9	5.5	–	–	81.7	1.9	100
2013	NSW	8.0	6.7	–	–	1.3	21.3	–	37.3
	NT	1.3	–	–	–	–	–	–	1.3
	QLD	–	–	–	–	–	8.0	–	8.0
	VIC	1.3	–	1.3	–	–	16.0	–	18.6
	WA	4.0	–	17.3	–	–	10.7	2.8	34.8
		Total	14.6	6.7	18.6	–	1.3	56.0	2.8
2012	ACT	–	2.7	1.3	–	–	1.3	–	5.3
	NSW	10.7	14.7	16.0	–	–	24.0	–	65.4
	NT	–	–	1.3	–	–	1.3	–	2.6
	WA	5.4	–	9.3	–	–	12.0	–	26.7
		Total	16.1	17.4	27.9	–	–	38.6	–
2011	NSW	15.4	–	–	–	–	15.4	–	30.8
	NT	15.4	–	–	–	–	15.4	–	30.8
	WA	–	30.8	7.6	–	–	–	–	38.4
		Total	30.8	30.8	7.6	–	–	30.8	–

Note: Due to a lack of available data, some samples were classified based on the sample collection date in place of the sample seizure date. From November 2016, MDMA is no longer routinely chemically profiled due to changes in the Memorandum of Understanding (MoU) for the provision of illicit drug analysis between the NMI and AFP.

Synthetic route of manufacture of MDMA ENIPID samples as a proportion of analysed jurisdictional cases, 2011–2016

Year	Jurisdiction	Reductive Amination							Mixed/ Unclss	Total
		Unclassified %	Aluminium Amalgam %	Borohydride %	Leuckart %	Palladium Hydrogenation %	Platinum Hydrogenation %	Unclss %		
2016	ACT	1.9	–	–	–	–	0.7	–	2.6	
	NSW	13.7	–	1.3	0.7	–	12.4	4.6	32.7	
	NT	3.3	–	0.7	0.7	–	1.9	0.6	7.2	
	QLD	–	–	–	–	–	–	–	9.9	
	SA	3.3	0.7	4.6	–	–	1.3	–	–	
	TAS	1.9	–	–	–	–	–	–	1.9	
	VIC	7.8	1.3	1.9	–	–	3.3	2.6	16.9	
WA	21.6	–	5.2	–	–	0.7	1.3	28.8		
	Total	53.5	2.0	13.7	1.4	–	20.3	9.1	100	

2015	ACT	–	–	–	–	–	2.5	–	2.5
	NSW	5.1	5.7	1.9	–	–	22.8	3.8	39.3
	NT	0.6	0.6	–	–	–	5.1	–	6.3
	QLD	–	–	–	–	–	–	–	–
	SA	1.9	0.6	0.6	–	–	5.1	0.6	8.8
	TAS	–	–	–	–	–	–	–	–
	VIC	1.9	–	0.6	–	0.6	8.9	4.5	16.5
	WA	1.9	3.2	0.6	–	–	19.0	1.9	26.6
	Total	11.4	10.1	3.7	–	0.6	63.4	10.8	100
2014	ACT	–	0.7	–	–	–	–	–	0.7
	NSW	2.6	3.3	0.7	–	–	17.8	2.0	26.4
	NT	–	–	–	–	–	3.9	–	3.9
	QLD	–	–	–	–	–	5.3	–	5.3
	SA	3.3	–	–	–	–	15.8	–	19.1
	TAS	–	–	–	–	–	0.7	–	0.7
	VIC	1.3	–	3.3	–	–	7.2	1.3	13.1
	WA	–	–	–	–	–	30.2	0.6	30.8
	Total	7.2	4.0	4.0	–	–	80.9	3.9	100
2013	NSW	7.9	6.3	–	–	1.6	20.7	1.6	38.1
	NT	1.6	–	–	–	–	–	–	1.6
	QLD	–	–	–	–	–	9.5	–	9.5
	VIC	1.6	–	1.6	–	–	19.0	–	22.2
	WA	3.2	–	9.5	–	–	11.1	4.8	28.6
	Total	14.3	6.3	11.1	–	1.6	60.3	6.4	100
2012	ACT	–	1.9	–	–	–	–	1.9	3.8
	NSW	9.6	13.5	15.4	–	–	21.2	9.6	69.3
	NT	–	–	1.9	–	–	1.9	–	3.8
	WA	1.9	–	9.6	–	–	11.6	–	23.1
	Total	11.5	15.4	26.9	–	–	34.7	11.5	100
2011	NSW	25.0	–	–	–	–	25.0	–	50.0
	NT	–	–	–	–	–	12.5	12.5	25.0
	WA	–	12.5	12.5	–	–	–	–	25.0
	Total	25.0	12.5	12.5	–	–	37.5	12.5	100

Note: Due to a lack of available data, some samples were classified based on the sample collection date in place of the sample seizure date. From November 2016, MDMA is no longer routinely chemically profiled due to changes in the Memorandum of Understanding (MoU) for the provision of illicit drug analysis between the NMI and AFP.

HEROIN

Geographical origin of heroin samples as a proportion of analysed AFP border seizures, 2008–June 2017

Year	South-East Asia %	South-West Asia %	South America %	Unclassified %	South-East Asia & Unclassified %	South-West Asia & Unclassified %
Jan–Jun 2017	85.7	–	–	–	14.3	–
2016	95.2	4.8	–	–	–	–
2015	77.8	18.5	–	3.7	–	–
2014	52.2	37.0	–	2.2	4.3	–
2013	74.6	18.2	5.5	–	1.8	–
2012	70.7	25.9	–	3.4	–	–
2011	49.0	51.0	–	–	–	–
2010	63.8	27.5	–	5.8	–	2.9
2009	53.9	42.6	–	3.4	–	–
2008	44.1	44.1	–	11.8	–	–

Geographical origin of heroin samples as a proportion of total bulk weight of analysed AFP border seizures, 2005–June 2017²

Year	South-East Asia %	South-West Asia %	South America %	Unclassified %	South-East Asia & Unclassified %	South-West Asia & Unclassified %
Jan–Jun 2017	99.7	–	–	0.3	–	–
2016	100.0	–	–	–	–	–
2015	97.4	1.8	–	0.8	–	–
2014	89.9	7.8	–	<0.01	0.2	–
2013	84.3	8.9	4.3	–	2.5	–
2012	98.4	1.3	–	0.3	–	–
2011	39.4	60.6	–	–	–	–
2010	93.3	5.8	–	0.9	–	–
2009	48.2	40.9	–	10.9	–	–
2008	26.0	66.3	–	7.7	–	–
2007	47.9	50.6	–	1.5	–	–
2006	70.1	27.4	–	2.7	–	–
2005	78.9	18.0	–	3.1	–	–

² This data may also include seizures destined for Australia which occurred offshore.

Geographical origin of heroin ENIPID samples as a proportion of analysed jurisdictional samples, 2011–June 2017

Year	Jurisdiction	Geographical origin			Total %
		South-East Asia %	South-West Asia %	Mixed/ Unclassified %	
Jan– Jun 2017	NSW	27.2	45.5	–	72.7
	SA	9.1	–	–	9.1
	VIC	18.2	–	–	18.2
Total		54.5	45.5	–	100
2016	ACT	4.9	2.5	–	7.4
	NSW	24.7	1.2	–	25.9
	NT	1.2	–	–	1.2
	SA	6.2	–	–	6.2
	VIC	37.1	1.2	1.2	39.5
	WA	19.8	–	–	19.8
Total		93.9	4.9	1.2	100
2015	ACT	7.2	–	–	7.2
	NSW	36.1	4.1	5.2	45.4
	TAS	1.0	–	–	1.0
	VIC	38.1	2.1	–	40.2
	WA	6.2	–	–	6.2
Total		88.6	6.2	5.2	100
2014	NSW	47.6	7.2	–	54.8
	SA	–	2.4	–	2.4
	VIC	–	7.1	–	7.1
	WA	35.7	–	–	35.7
Total		80.3	16.7	–	100
2013	NSW	45.7	–	2.9	48.6
	WA	34.3	17.1	–	51.4
Total		80.0	17.1	2.9	100
2012	ACT	8.5	–	–	8.5
	NSW	55.3	12.8	12.8	80.9
	WA	2.1	8.5	–	10.6
Total		65.9	21.3	12.8	100
2011	NSW	9.8	2.0	3.9	15.7
	WA	82.3	–	2.0	84.3
Total		92.1	2.0	5.9	100

Note: Due to a lack of available data, some samples were classified based on sample collection date in place of sample seizure date.

Geographical origin of heroin ENIPID samples as a proportion of analysed jurisdictional cases, 2011–June 2017

Year	Jurisdiction	Geographical origin			Total %
		South-East Asia %	South-West Asia %	Mixed/ Unclassified %	
Jan–Jun 2017	NSW	42.8	28.6	–	71.4
	SA	14.3	0.0	–	14.3
	VIC	14.3	0.0	–	14.3
Total		71.4	28.6	–	100
2016	ACT	4.9	1.6	–	6.6
	NSW	31.1	1.6	–	32.8
	NT	1.6	–	–	1.6
	SA	6.6	–	–	6.6
	VIC	36.1	–	3.3	39.3
	WA	13.1	–	–	13.1
Total		93.4	3.3	3.3	100
2015	ACT	3.1	–	–	3.1
	NSW	35.4	6.1	6.2	47.7
	TAS	1.5	–	–	1.5
	VIC	35.4	3.1	–	38.5
	WA	9.2	–	–	9.2
Total		84.6	9.2	6.2	100
2014	NSW	51.7	10.3	–	62.0
	SA	–	3.5	–	3.5
	VIC	–	3.5	–	3.5
	WA	31.0	–	–	31.0
Total		82.7	17.3	–	100
2013	NSW	50.0	0.0	5.6	55.6
	WA	33.3	11.1	0.0	44.4
Total		83.3	11.1	5.6	100
2012	ACT	9.4	–	–	9.4
	NSW	46.9	12.5	18.7	78.1
	WA	3.1	9.4	–	12.5
Total		59.4	21.9	18.7	100
2011	NSW	18.8	6.2	12.5	37.5
	WA	56.3	–	6.2	62.5
Total		75.1	6.2	18.7	100

Note: Due to a lack of available data, some samples were classified based on sample collection date in place of sample seizure date.

COCAINE

Geographical origin of coca leaf used to produce cocaine as a proportion of analysed AFP border seizures, 2009–June 2017

Year	Colombia %	Peru %	Bolivia%	Mixed %	Unclassified %
Jan–Jun 2017	61.1	–	–	33.3	5.6
2016	75.9	0.9	–	9.3	13.9
2015	53.6	13.1	2.4	5.9	25.0
2014	47.9	43.8	1.4	6.9	–
2013	64.1	28.2	–	5.1	2.6
2012	55.3	29.1	–	5.9	9.7
2011	55.9	35.3	–	5.9	2.9
2010	55.2	30.2	1.0	6.3	7.3
2009	44.9	32.7	2.0	10.2	10.2
2008	67.3	28.6	–	–	4.1
2007	61.7	23.3	1.7	9.9	3.4

Geographical origin of coca leaf used to produce cocaine as a proportion of total bulk weight of analysed AFP border seizures, 2009–June 2017

Year	Colombia %	Peru %	Bolivia%	Mixed %	Unclassified %
Jan–Jun 2017	99.1	–	–	0.9	<0.1
2016	84.1	1.8	–	–	14.1
2015	49.9	8.9	0.1	34.7	6.4
2014	67.2	31.8	0.9	0.1	–
2013	9.9	90.0	–	–	0.1
2012	23.7	74.3	–	1.3	0.7
2011	51.3	44.2	–	4.4	0.1
2010	96.3	3.2	<0.1	–	0.4
2009	91.3	6.8	<0.1	–	1.9
2008	95.1	4.7	–	–	0.2
2007	86.3	10.6	0.4	–	2.7

Geographical origin of cocaine ENIPID samples, as a proportion of analysed jurisdictional samples, 2014–June 2017

Year	Jurisdiction	Geographical origin				Total
		Colombia %	Peru %	Bolivia %	Mixed/ Unclassified %	
Jan–Jun 2017	NSW	46.7	–	–	53.3	100
Total		46.7	–	–	53.3	100
2016	ACT	3.5	–	–	0.6	4.1
	NSW	47.4	0.6	–	21.4	69.4
	NT	2.3	–	–	–	2.3
	SA	4.0	–	–	–	4.0
	VIC	2.9	–	–	0.6	3.5
	WA	6.9	0.6	–	9.2	16.7
Total		67.0	1.2	–	31.8	100
2015	ACT	1.1	–	–	–	1.1
	NSW	38.1	16.5	–	15.9	70.5
	NT	0.6	–	–	–	0.6
	SA	2.8	–	–	–	2.8
	VIC	2.8	–	–	3.4	6.2
	WA	5.1	8.0	–	5.7	18.8
Total		50.5	24.5	–	25.0	100
2014	NSW	10.0	26.7	–	3.3	40.0
	NT	1.7	1.7	–	0.0	3.3
	QLD	1.7	3.3	–	0.0	5.0
	VIC	10.0	0.0	–	0.0	10.0
	WA	30.0	6.7	–	5.0	41.7
Total		53.3	38.4	–	8.3	100

Geographical origin of cocaine ENIPID samples as a proportion of analysed jurisdictional cases, 2014–June 2017

Geographical origin						
Year	Jurisdiction	Colombia %	Peru %	Bolivia %	Mixed/ Unclassified %	Total
Jan–Jun 2017	NSW	53.9	–	–	46.1	100
Total		53.9	–	–	46.1	100
2016	ACT	3.5	–	–	0.9	4.4
	NSW	46.5	–	–	26.3	72.8
	NT	0.9	–	–	–	0.9
	SA	5.2	–	–	–	5.2
	VIC	3.5	–	–	0.9	4.4
	WA	7.0	0.9	–	4.4	12.3
Total		66.6	0.9	–	32.5	100
2015	ACT	1.9	–	–	–	1.9
	NSW	38.0	14.8	–	20.4	73.2
	NT	0.9	–	–	–	0.9
	SA	2.8	–	–	–	2.8
	VIC	4.6	–	–	4.6	9.2
	WA	2.8	0.9	–	8.3	12.0
Total		51.0	15.7	–	33.3	100
2014	NSW	13.5	13.5	–	5.4	32.4
	NT	2.7	2.7	–	0.0	5.4
	QLD	2.7	5.4	–	0.0	8.1
	VIC	16.2	0.0	–	0.0	16.2
	WA	24.3	2.7	–	10.8	37.8
Total		59.4	24.3	–	16.2	100